



**PalliativeCare**  
AUSTRALIA

# Diabetes and palliative care

**INFORMATION  
FOR FAMILY MEMBERS  
AND CARERS**

# Diabetics and palliative care

Family members or carers such as husbands, wives, partners, friends, daughters or sons often play an important role by supporting their relative or friend with diabetes who is receiving palliative care.

## Why is it important to manage diabetes during palliative care?

---

People with diabetes receiving palliative care want to be comfortable. They want to avoid high and low blood glucose levels, which cause discomfort such as headaches and feeling dizzy or tired.

Sometimes it is hard to know whether a person feels unwell because of their diabetes, their other illness, or the medicines they take.

Checking blood glucose is one way to find out whether diabetes could be making the person needing care feel unwell.

The blood glucose levels tell you whether the person needing care's blood has too much or too little glucose. This information helps you to make decisions about how to make them more comfortable.

## Information about blood glucose levels

---

### Low blood glucose/hypo

Low blood glucose can make the person needing care feel weak, confused, irritable, hungry, tired or shaky. They may sweat a lot or get a headache. If their blood glucose drops very low, they could pass out or have a seizure.

### High blood glucose/hyper

High blood glucose can make the person needing care feel thirsty and tired, have blurry vision, and have to wee (pass urine) often. Very high blood glucose may also make them feel nauseous or like they have to vomit.

### Recommended blood glucose levels

Most people with diabetes will have a care plan that includes the blood glucose range that suits their needs. In general, blood glucose levels are low if they are below 6 and high if they are above 11.



## Talking about diabetes care with the person who needs care

If the person needing care becomes sicker while they are receiving palliative care, it may become more difficult for them to take care of their diabetes.

Talking about diabetes care with them will help you understand how they care for their diabetes now, and how they would like their diabetes to be cared for if they become too unwell to continue caring for themselves.

### Tips for asking the person needing care about their diabetes care

- Ask them how they test their blood glucose. Ask them to show you how to do it.
- Ask them about their recommended blood glucose levels. Write these down in the box below.
- Ask them about their diabetes medicines. If they need to inject insulin, ask them to show you how to do it.
- Ask them how they recognise high blood glucose levels. Ask them how they recognise low blood glucose levels. Write these symptoms down in the box below. But note, their usual symptoms may change over time.
- Ask them how they feel about writing down how they want their diabetes cared for if they ever become too sick to speak for themselves. Writing down these wishes is called Advance Care Planning and it is a very important way people with diabetes can have a role in deciding their care.

### The person needing care's symptoms of low blood glucose:

---

---

---

---

---

### Their symptoms of high blood glucose:

---

---


---

---

---

### Their recommended blood glucose levels:

\_\_\_\_\_ to \_\_\_\_\_



PEOPLE WITH  
DIABETES RECEIVING  
PALLIATIVE CARE WANT  
TO AVOID HIGH AND  
LOW BLOOD GLUCOSE  
LEVELS

## Talking about diabetes care with health professionals

- Talk with the health professionals caring for the person with diabetes about the recommended blood glucose levels for the person with diabetes, about what kind of diabetes medicines they need and how much they should take.
- If the person needing care is taking steroids, talk with their doctor about why they are taking steroids and how steroids affect blood glucose levels.
- Ask the diabetes educator to teach you how to test blood glucose and what to do if the person needing care has low or high blood glucose.
- Talk with the diabetes educator or dietitian about diabetes medicines and meal planning. Ask the diabetes educator what to do about diabetes medicines if the person needing care has a reduced appetite and eats less or misses meals.
- Ask the palliative care team to help the person needing care develop an Advance Care Plan that describes how they want their diabetes cared for if they ever become too sick to speak for themselves.

### You should seek help from a health professional if:

- the person needing care has blood glucose levels below 4;
- the person needing care has blood glucose levels above 15;
- the person needing care cannot swallow his/her diabetes tablets;
- the person needing care cannot inject insulin;
- the person needing care is in severe pain;
- you are worried about the person needing care's health;

## More information

### Diabetes

[www.diabetesaustralia.com.au](http://www.diabetesaustralia.com.au)


### Palliative care and Advance Care Planning

[www.caresearch.com.au](http://www.caresearch.com.au)

### Caring for a relative/friend

[www.carersaustralia.com.au](http://www.carersaustralia.com.au)

*Disclaimer: PCA advises the information in this brochure is not clinical advice. Your health care decisions are best made in consultation with your doctor. PCA provides these links for information purpose only. It is not responsible for the content of these websites.*



## Contact Palliative Care Australia

**t** 02 6232 4433 **e** [pcainc@palliativecare.org.au](mailto:pcainc@palliativecare.org.au) **w** [www.palliativecare.org.au](http://www.palliativecare.org.au) **f** Facebook **t** Twitter

**a** **Street:** Level 1/21 Napier Close, Deakin ACT 2600 **Mail:** PO Box 24, Deakin West ACT 2600



Palliative Care Australia is funded by the Australian Government.



Australian Government  
Department of Health